

Aeolus LKW Reifen M+S / 3PMS Kennung

EAN Code	Größe	Profil	M+S	3PMS	Förderung	Maßnahme	TL/TT	Load/Speed Index	Achse
	15" tyres:								
8717931521284	8.25R15	HN230+	M+S		80%	1.3 Sicherheit	TT Set	143/141G (141/140J)	Trailer
	16" tyres:								
8717931529952	7.50R16	HN08	M+S		80%	1.3 Sicherheit	TT Set	122/118L	All position
8717931524346	8.25R16	HN08	M+S		80%	1.3 Sicherheit	TT Set	126/122L	All position
	17.5" tyres:								
8717931524704	9.5R17.5	ASR24	M+S		80%	1.3 Sicherheit	TL	129/127M	Front
8717931524711	9.5R17.5	ADR35	M+S	3PMS	80%	1.3 Sicherheit	TL	129/127M	Drive
8717931529303	205/75R17.5	ASR35	M+S	3PMS	80%	1.3 Sicherheit	TL	124/122M	Front
8717931529341	205/75R17.5	ADR35	M+S	3PMS	80%	1.3 Sicherheit	TL	124/122M	Drive
8717931529235	215/75R17.5	ASR35	M+S	3PMS	80%	1.3 Sicherheit	TL	127/124M	Front
8717931529198	215/75R17.5	ADR35	M+S	3PMS	80%	1.3 Sicherheit	TL	127/124M	Drive
8717931529204	215/75R17.5	ATL35	M+S	3PMS	80%	1.3 Sicherheit	TL	135/133J	Trailer
8717931528764	215/75R17.5	AGC28	M+S	3PMS	80%	1.3 Sicherheit	TL	135/133J	All Position
8717931529273	225/75R17.5	ASR35	M+S	3PMS	80%	1.3 Sicherheit	TL	129/127M	Front
8717931529280	225/75R17.5	ADR35	M+S	3PMS	80%	1.3 Sicherheit	TL	129/127M	Drive
8717931529181	235/75R17.5	ASR35	M+S	3PMS	80%	1.3 Sicherheit	TL	132/129M	Front
8717931529044	235/75R17.5	ADR35	M+S	3PMS	80%	1.3 Sicherheit	TL	132/129M	Drive
8717931529112	235/75R17.5	ATL35	M+S	3PMS	80%	1.3 Sicherheit	TL	143/141J (144/144F)	Trailer
8717931528740	235/75R17.5	AGC28	M+S	3PMS	80%	1.3 Sicherheit	TL	143/141J (144/144F)	All Position

Aeolus LKW Reifen M+S / 3PMS Kennung

EAN Code	Size	Pattern	M+S	3PMS	Förderung	Maßnahme	TL/TT	Load/Speed Index	Axle
	17.5" tyres:								
8717931529242	245/70R17.5	ASR35	M+S	3PMS	80%	1.3 Sicherheit	TL	136/134M	Front
8717931529310	245/70R17.5	ADR35	M+S	3PMS	80%	1.3 Sicherheit	TL	136/134M	Drive
8717931529211	245/70R17.5	ATR65	M+S		80%	1.3 Sicherheit	TL	143/141J (146/146F)	Trailer
8717931528887	245/70R17.5	AGC28	M+S	3PMS	80%	1.3 Sicherheit	TL	143/141J (144/144F)	All Position
	19.5" tyres:								
8717931523301	245/70R19.5	HN366+	M+S				TL	136/134M (136/135J)	Drive
8717931523943	245/70R19.5	HN828+	M+S		80%	1.3 Sicherheit	TL	141/140J	Trailer
8717931521673	265/70R19.5	HN257	M+S		80%	1.3 Sicherheit	TL	140/138M	Front
8717931523035	265/70R19.5	HN355	M+S	3PMS	80%	1.3 Sicherheit	TL	140/138M	Drive
8717931529228	265/70R19.5	ATR65	M+S		80%	1.3 Sicherheit	TL	143/141J	Trailer
8717931528702	265/70R19.5	AGC28	M+S	3PMS	80%	1.3 Sicherheit	TL	143/141J	All Position
8717931521727	285/70R19.5	HN257	M+S		80%	1.3 Sicherheit	TL	144/142M (145/143L)	Front
8717931529167	285/70R19.5	ADR35	M+S	3PMS	80%	1.3 Sicherheit	TL	144/142M (145/143L)	Drive
8717931529143	285/70R19.5	ATR65	M+S		80%	1.3 Sicherheit	TL	150/147J	Trailer
8717931529075	385/55R19.5	ATR65	M+S		80%	1.3 Sicherheit	TL	156J	Trailer
8717931523769	435/50R19.5	HN829	M+S		80%	1.3 Sicherheit	TL	160J	Trailer
8717931520393	445/45R19.5	HN829	M+S		80%	1.3 Sicherheit	TL	160J	Trailer

Aeolus LKW Reifen M+S / 3PMS Kennung

EAN Code	Size	Pattern	M+S	3PMS	Förderung	Maßnahme	TL/TT	Load/Speed Index	Axle
	20" tyres:								
8717931528979	8.25R20	HN08	M+S		80%	1.3 Sicherheit	TT Set	136/134K	All Position
8717931520355	9.00R20	HN08	M+S		80%	1.3 Sicherheit	TT Set	144/142K	All Position
8717931520362	10.00R20	HN08	M+S		80%	1.3 Sicherheit	TT Set	146/143K	All Position
8717931520386	11.00R20	HN08	M+S		80%	1.3 Sicherheit	TT Set	149/145K	All Position
8717931520416	12.00R20	HN08	M+S		80%	1.3 Sicherheit	TT Set	154/149K	All Position
8717931520768	12.00R20	HN10	M+S				TT Set	154/149F	All Position
8717931523875	12.00R20	ADC53	M+S				TT Set	154/151K	Drive
	22.5" tyres:								
8717931529686	9R22.5	HN252	M+S		80%	1.3 Sicherheit	TL	136/134M	Front
8717931529440	10R22.5	HN257	M+S		80%	1.3 Sicherheit	TL	144/142M	Front
8717931529457	10R22.5	HN355	M+S	3PMS	80%	1.3 Sicherheit	TL	144/142M	Drive
8717931521581	11R22.5	HN257	M+S		80%	1.3 Sicherheit	TL	146/143M	Front
8717931520478	11R22.5	HN08	M+S		80%	1.3 Sicherheit	TL	146/143L	All Position
8717931529259	11R22.5	ADC53	M+S				TL	146/143L	Drive
8717931529006	11R22.5	AGB20	M+S	3PMS	80%	1.3 Sicherheit	TL	148/145J (151/148E)	All Position
8717931521628	12R22.5	HN257	M+S		80%	1.3 Sicherheit	TL	152/149M	Front
8717931520515	12R22.5	HN08	M+S		80%	1.3 Sicherheit	TL	152/149L	All Position
8717931522984	12R22.5	HN355	M+S	3PMS	80%	1.3 Sicherheit	TL	152/149M	Drive
8717931529266	12R22.5	ADC53	M+S				TL	152/149L	Drive

Aeolus LKW Reifen M+S / 3PMS Kennung

EAN Code	Size	Pattern	M+S	3PMS	Förderung	Maßnahme	TL/TT	Load/Speed Index	Axle
	22.5" tyres:								
8717931529976	13R22.5	AGC51	M+S		80%	1.3 Sicherheit	TL	154/151L (156/150K)	All Position
8717931521567	13R22.5	HN253	M+S		80%	1.3 Sicherheit	TL	154/151L (156/150K)	All Position
8717931522717	13R22.5	HN352	M+S	3PMS	80%	1.3 Sicherheit	TL	154/151K (156/150G)	Drive
8717931528962	13R22.5	ADC53	M+S				TL	154/151K (156/150G)	Drive
8717931520775	13R22.5	HN10	M+S				TL	154/151G (156/150F)	All Position
8717931521659	255/70R22.5	HN257	M+S		80%	1.3 Sicherheit	TL	140/137M (140/140L)	Front
8717931523011	255/70R22.5	HN355	M+S	3PMS	80%	1.3 Sicherheit	TL	140/137M (140/140L)	Drive
8717931521703	275/70R22.5	HN257	M+S		80%	1.3 Sicherheit	TL	148/145M	Front
8717931523066	275/70R22.5	HN355	M+S	3PMS	80%	1.3 Sicherheit	TL	148/145M	Drive
8717931528481	275/70R22.5	AGC28	M+S	3PMS	80%	1.3 Sicherheit	TL	148/145L	All Position
8717931528719	275/70R22.5	AGB20	M+S	3PMS	80%	1.3 Sicherheit	TL	148/145J (152/148E)	All Position
8717931528733	275/80R22.5	HN267	M+S		80%	1.3 Sicherheit	TL	149/146L (148/145M)	Front
8717931522373	275/80R22.5	HN306	M+S				TL	149/146L (148/145M)	Drive
8717931521635	295/60R22.5	HN257	M+S		80%	1.3 Sicherheit	TL	149/146L (150/147K)	Front
8717931521468	295/60R22.5	HN252	M+S		80%	1.3 Sicherheit	TL	149/146L (150/147K)	Front
8717931522991	295/60R22.5	HN355	M+S	3PMS	80%	1.3 Sicherheit	TL	149/146L (150/147K)	Drive
8717931528689	295/60R22.5	ADL67	M+S	3PMS	80%	1.3 Sicherheit	TL	149/146L (150/147K)	Drive
8717931524018	295/80R22.5	ASR69 HL	M+S		80%	1.3 Sicherheit	TL	154/149M	Front
8717931521482	295/80R22.5	HN252	M+S		80%	1.3 Sicherheit	TL	152/148M	Front
8717931523868	295/80R22.5	ADR69	M+S	3PMS	80%	1.3 Sicherheit	TL	152/148M	Drive
8717931528696	295/80R22.5	ADL67	M+S	3PMS	80%	1.3 Sicherheit	TL	152/148M	Drive
8717931528917	295/80R22.5	AGB20	M+S	3PMS	80%	1.3 Sicherheit	TL	152/148J (154/150E)	All Position
8717931523271	295/80R22.5	ADW80	M+S	3PMS	80%	1.3 Sicherheit	TL	152/148M	Drive

Aeolus LKW Reifen M+S / 3PMS Kennung

EAN Code	Size	Pattern	M+S	3PMS	Förderung	Maßnahme	TL/TT	Load/Speed Index	Axle
	22.5" tyres:								
8717931521031	315/60R22.5	HN227	M+S		80%	1.3 Sicherheit	TL	152/148L	Front
8717931528726	315/60R22.5	ADL67	M+S	3PMS	80%	1.3 Sicherheit	TL	152/148L	Drive
8717931528498	315/70R22.5	ASR69 HL	M+S		80%	1.3 Sicherheit	TL	154/150M (156/150L)	Front
8717931521475	315/70R22.5	HN252	M+S		80%	1.3 Sicherheit	TL	152/148M (154/150L)	Front
8717931523851	315/70R22.5	ADR69	M+S	3PMS	80%	1.3 Sicherheit	TL	152/148M (154/150L)	Drive
8717931528672	315/70R22.5	ADL67	M+S	3PMS	80%	1.3 Sicherheit	TL	152/148M (154/150L)	Drive
8717931529525	315/70R22.5	ASW80	M+S	3PMS	80%	1.3 Sicherheit	TL	152/148M (154/150L)	Front
8717931528993	315/70R22.5	ADW80	M+S	3PMS	80%	1.3 Sicherheit	TL	152/148M (154/150L)	Drive
8717931524025	315/80R22.5	ASR69 HL	M+S		80%	1.3 Sicherheit	TL	154/150M (158/150L)	Front
8717931521499	315/80R22.5	HN252	M+S		80%	1.3 Sicherheit	TL	154/150M (156/150L)	Front
8717931524216	315/80R22.5	ADR69	M+S	3PMS	80%	1.3 Sicherheit	TL	154/150M (156/150L)	Drive
8717931528658	315/80R22.5	ADL67	M+S	3PMS	80%	1.3 Sicherheit	TL	154/150M (156/150L)	Drive
8717931529983	315/80R22.5	AGC51	M+S		80%	1.3 Sicherheit	TL	154/150L (156/150K)	All Position
8717931520553	315/80R22.5	HN08	M+S		80%	1.3 Sicherheit	TL	154/150L (156/150K)	All Position
8717931529174	315/80R22.5	ADC53	M+S				TL	154/150M (156/150L)	Drive
8717931523974	315/80R22.5	HN352	M+S	3PMS	80%	1.3 Sicherheit	TL	156/150K	Drive
8717931529532	315/80R22.5	ASW80	M+S	3PMS	80%	1.3 Sicherheit	TL	154/150M (156/150L)	Front
8717931528986	315/80R22.5	ADW80	M+S	3PMS	80%	1.3 Sicherheit	TL	154/150M (156/150L)	Drive

Aeolus LKW Reifen M+S / 3PMS Kennung

EAN Code	Size	Pattern	M+S	3PMS	Förderung	Maßnahme	TL/TT	Load/Speed Index	Axle
	22.5" tyres:								
8717931529129	385/55R22.5	ATR65	M+S		80%	1.3 Sicherheit	TL	160J (158L)	Trailer/Front
8717931523981	385/55R22.5	AGC28	M+S	3PMS	80%	1.3 Sicherheit	TL	160K (158L)	All Position
8717931529549	385/55R22.5	ASW80	M+S	3PMS	80%	1.3 Sicherheit	TL	160K (158L)	Front / Trailer
8717931520867	385/65R22.5	HN207	M+S		80%	1.3 Sicherheit	TL	160K (158L)	Front
8717931529150	385/65R22.5	ATR65	M+S		80%	1.3 Sicherheit	TL	160K (158L)	Trailer/Front
8717931529570	385/65R22.5	ATR33	M+S		80%	1.3 Sicherheit	TL	158L/160K	Trailer/Front
8717931523660	385/65R22.5	HN809	M+S		80%	1.3 Sicherheit	TL	160K (158L)	Trailer/Front
8717931528580	385/65R22.5	AGC28	M+S	3PMS	80%	1.3 Sicherheit	TL	160K (158L)	All Position
8717931529556	385/65R22.5	ASW80	M+S	3PMS	80%	1.3 Sicherheit	TL	160K (158L)	Front / Trailer
	385/65R22.5	ATR65+	M+S		80%	1.3 Sicherheit	TL	164K(158L)	Trailer/Front
8717931529327	425/65R22.5	ATR65	M+S		80%	1.3 Sicherheit	TL	165K	Trailer/Front
8717931528757	425/65R22.5	AGC28	M+S	3PMS	80%	1.3 Sicherheit	TL	165K	All Position
8717931529334	445/65R22.5	ATR65	M+S		80%	1.3 Sicherheit	TL	169 K	Trailer/Front
8717931528504	445/65R22.5	AGC28	M+S	3PMS	80%	1.3 Sicherheit	TL	169 K	All Position
	24" tyres:								
8717931529969	12.00R24	AGC51	M+S		80%	1.3 Sicherheit	TT Set	160/157K	All Position
8717931520423	12.00R24	HN08	M+S		80%	1.3 Sicherheit	TT Set	160/157K	All Position
8717931529914	12.00R24	ADC53	M+S				TT Set	160/157K	Drive